

Interactive Educational Whiteboard A Real Conference Machine



Video Conference




Infrared Touch




Wireless Projection



Online Annotation



Tempered Glass



Human-Computer Interaction



1. The ultra-narrow frame design is simple and beautiful, infrared 20 touch, high sensitivity writing is smoother
2. 4K HD display, AG anti-glare tempered glass, Mohs grade 7 hardness, the picture is more soft and clear
3. Dual system Windows and Android switch freely, integrated in computer, Android TV, and electronic whiteboard
4. With double magnetic suction pen in front, the touch pen is more convenient to pick and place before and after use
5. Computer modular design, OPS / pull-out PC setting, simple and convenient maintenance
6. Used for Conference training/ Classroom Teaching

FUNCTIONS & _____ PARAMETERS




Touch

Have the function of writing, drawing, multi-media entertainment and online meetings etc.

Correct serration show characters and lines smoothly.

Decrease visual error reduce operatin mistakes improve writing speed and fluency.



Main Dimensions



FUNCTIONS & _____ PARAMETERS



Main Installation Method



A. Mobile bracket installation (mobile bracket needs to be purchased separately)



B. Wall-Mounted (With accessories)



Back



Detail



Side

FUNCTIONS & PARAMETERS



Nine Machines In One

Computer + TV + projector + whiteboard + screen + advertising machine + set-top box + audio + learning machine



Interactive Educational Whiteboard

Support 1.5mm high precision writing



Android OS / Windows OS

Support new Android 6.0/ Windows10 dual system (OPS module for Windows system needs to be purchased separately)



Wireless Screen Transmission

*Support Android and Apple system mobile phones, iPad wireless projection
*Support document presentation video teaching, camera live broadcast and other functions, saving time and effort for interaction



Document Reading And Annotation

Support PPT, Word, Excel, PDF and other files to read, realize annotations under any interface, and save screenshots



Teleconferencing

Real-time encryption, no delay, high stability transmission of meeting scenes (remote meeting system software, camera and microphone need to be purchased separately)

Technical Parameter

Size: 55"/65"/75"/86"/100"

System Performance					
Size	55inch	65inch	75inch	86inch	100inch
Back Type	DLED				
Physical Dimension(MM)	1260(L)x771(H)x88(W)	1518(L)x947(H)x102(W)	1739(L)x1073(H)x105(W)	1992(L)x1215(H)x115(W)	2251(L)x1328(H)x150(W)
Grossweight(KG)	46.5KG	60KG	81.5KG	110KG	133KG
Peak Brightness	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²	450cd/m ²
Contrast	5000:1				
Viewing Angle	H/V: 178°/178°				
Screen Ratio	16 : 9				
Resolution	4K(3840x2160)				
BacklightLife	≥80,000 hour				

Android OS

- Android 8.0 or above
- 4G RAM, 16 GRom optional
- RJ45/WIFI
- Infrared touch

Touch Control System	
Touch Recognition Method	Built-in infrared optical touch recognition (supports simultaneous input of 20 points)
Effective recognition range	Non-transparent objects with a diameter of not less than 1.5mm (3mm more points)
Precise positioning	± 2mm (more than 90% touch area)
Response time	The fastest 8ms (the cursor speed is about 120 points/s)
Touch resolution	H: 32767 V: 32767
Touch life	≥80,000 hours

Windows OS

- Intel i3 i5 i7 optional
- 256GB SSD(500GB HHD optional)
- Infrared touch
- Windows system

Android System Configuration	
Main Chip Model	MSD648
CPU	Cortex A53*4 1.5GHz
GPU	T720MP2
RAM	2GB DDR3
ROM	32GB
Kernel Version	Android6.0
External Expansion Storage	SD/TF Card interface supports up to 128GB, USB2.0/3.0 interface supports up to 1TB

OPS Computer Module Configuration			
Configuration Options	Basic Level	Middle Level	Top Level
CPU	Intel Core i3	Intel Core i5	Intel Core i5
GPU	4G DDR3 (8G available)		
RAM	Standard 128GB SSD solid state drive (optional 500GB mechanical hard drive)		
ROM	Intel HD Graphics (HD Graphics or optional discrete graphics)		

ASK Series

Interactive Educational Whiteboard

A Real Conference Machine



Video Conference



Infrared Touch




Wireless Projection



Online Annotation



Tempered Glass



Human-Computer Interaction



1. The ultra-narrow frame design is simple and beautiful, infrared 20 touch, high sensitivity writing is smoother
2. 4K HD display, AG anti-glare tempered glass, Mohs grade 7 hardness, the picture is more soft and clear
3. Dual system Windows and Android switch freely, integrated in computer, Android TV, and electronic whiteboard
4. With double magnetic suction pen in front, the touch pen is more convenient to pick and place before and after use
5. Computer modular design, OPS / pull-out PC setting, simple and convenient maintenance
6. Used for Conference training/ Classroom Teaching

FUNCTIONS & _____ PARAMETERS




Touch

Have the function of writing, drawing, multi-media entertainment and online meetings etc.

Correct serration show characters and lines smoothly.

Decrease visual error reduce operatin mistakes improve writing speed and fluency.




Main Dimensions



FUNCTIONS & _____ PARAMETERS



Main Installation Method



A. Mobile bracket installation (mobile bracket needs to be purchased separately)



B. Wall-Mounted (With accessories)



Back




Detail



Side

FUNCTIONS & PARAMETERS



Nine Machines In One

Computer + TV + projector + whiteboard + screen + advertising machine + set-top box + audio + learning machine



Android OS / Windows OS

Support new Android 6.0/ Windows10 dual system (OPS module for Windows system needs to be purchased separately)



Document Reading And Annotation

Support PPT, Word, Excel, PDF and other files to read, realize annotations under any interface, and save screenshots



Interactive Educational Whiteboard

Support 1.5mm high precision writing



Wireless Screen Transmission

*Support Android and Apple system mobile phones, iPad wireless projection
*Support document presentation video teaching, camera live broadcast and other functions, saving time and effort for interaction



Teleconferencing

Real-time encryption, no delay, high stability transmission of meeting scenes (remote meeting system software, camera and microphone need to be purchased separately)

Technical Parameter

Size: 55"/65"/75"/86"/100"

System Performance				
Size	55inch	65inch	75inch	86inch
Back Type	DLED			
Physical Dimension(MM)	1260(L)x771(H)x88(W)	1518(L)x947(H)x102(W)	1739(L)x1073(H)x105(W)	1992(L)x1215(H)x115(W)
Gross weight(KG)	46.5KG	60KG	81.5KG	110KG
Peak Brightness	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²
Contrast	5000:1			
Viewing Angle	H/V:178°/178°			
Screen Ratio	16 : 9			
Resolution	4K(3840x2160)			
BacklightLife	≥80,000 hour			

Android OS

- Android 6.0 or above
- 2G RAM, 32 G Rom optional
- RJ45/WIFI
- Infrared touch

Touch Control System	
Touch Recognition Method	Built-in infrared optical touch recognition (supports simultaneous input of 20 points)
Effective recognition range	Non-transparent objects with a diameter of not less than 1.5mm (3mm more points)
Precise positioning	± 2mm (more than 90% touch area)
Response time	The fastest 8ms (the cursor speed is about 120 points/s)
Touch resolution	H: 32767 V: 32767
Touch life	≥80,000 hours

Windows OS

- Intel i3 i5 i7 optional
- 128GB SSD(500GB HHD optional)
- Infrared touch
- Windows system

Android System Configuration	
Main Chip Model	MSD648
CPU	Cortex A53*4 1.5GHz
GPU	T720MP2
RAM	2GB DDR3
ROM	32GB
Kernel Version	Android6.0
External Expansion Storage	SD/TF Card interface supports up to 128GB, USB2.0/3.0 interface supports up to 1TB

OPS Computer Module Configuration			
Configuration Options	Basic Level	Middle Level	Top Level
CPU	Intel Core i3	Intel Core i5	Intel Core i5
GPU	4G DDR3 (8G available)		
RAM	Standard 128GB SSD solid state drive (optional 500GB mechanical hard drive)		
ROM	Intel HD Graphics (HD Graphics or optional discrete graphics)		

D Series Interactive Educational Whiteboard

A Real Conference Machine



Video Conference



Infrared Touch




Wireless Projection



Online Annotation



Tempered Glass



Human-Computer Interaction



1. The ultra-narrow frame design is simple and beautiful, infrared 20 touch, high sensitivity writing is smoother
2. 4K HD display, AG anti-glare tempered glass, Mohs grade 7 hardness, the picture is more soft and clear
3. Dual system Windows and Android switch freely, integrated in computer, Android TV, and electronic whiteboard
4. With double magnetic suction pen in front, the touch pen is more convenient to pick and place before and after use
5. Computer modular design, OPS / pull-out PC setting, simple and convenient maintenance
6. Used for Conference training/ Classroom Teaching

FUNCTIONS & _____ PARAMETERS




Touch


Have the function of writing, drawing, multi-media entertainment and online meetings etc.

Correct serration show characters and lines smoothly.

Decrease visual error reduce operatin mistakes improve writing speed and fluency.



Main Dimensions



FUNCTIONS & _____ PARAMETERS

Main Installation Method

Size: 55"/65"/75"/86"



A. Mobile bracket installation (mobile bracket needs to be purchased separately)



B. Wall-Mounted (With accessories)

Technical Parameter

Size: 55"/65"/75"/86"/100"

System Performance				
Size	55inch	65inch	75inch	86inch
Back Type	DLED			
Physical Dimension(MM)	1260(L)x771(H)x88(W)	1518(L)x947(H)x102(W)	1739(L)x1073(H)x105(W)	1992(L)x1215(H)x115(W)
Gross weight(KG)	46.5KG	60KG	81.5KG	110KG
Peak Brightness	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²
Contrast	5000:1			
Viewing Angle	H/V:178°/178°			
Screen Ratio	16 :9			
Resolution	4K(3840x2160)			
Backlight Life	≥80,000 hour			

Android OS

- Android 6.0 or above
- 2G RAM, 32 G Rom optional
- RJ45/WIFI
- Infrared touch

Windows OS

- Intel i3 i5 i7 optional
- 128GB SSD(500GB HHD optional)
- Infrared touch
- Windows system

Touch Control System

Touch Recognition Method	Built-in infrared optical touch recognition (supports simultaneous input of 20 points)
Effective recognition range	Non-transparent objects with a diameter of not less than 1.5mm (3mm more points)
Precise positioning	± 2mm (more than 90% touch area)
Response time	The fastest 8ms (the cursor speed is about 120 points/s)
Touch resolution	H: 32767 V: 32767
Touch life	≥80,000 hours

Android System Configuration

Main Chip Model	MSD648
CPU	Cortex A53*4 1.5GHz
GPU	T720MP2
RAM	2GBDDR3
ROM	32GB
Kernel Version	Android6.0
External Expansion Storage	SD/TF Card interface supports up to 128GB, USB2.0/3.0 interface supports up to 1TB

OPS Computer Module Configuration

Configuration Options	Basic Level	Middle Level	Top Level
CPU	Intel Core i3	Intel Core i5	Intel Core i5
GPU	4G DDR3 (8G available)		
RAM	Standard 128GB SSD solid state drive (optional 500GB mechanical hard drive)		
ROM	Intel HD Graphics (HD Graphics or optional discrete graphics)		

Interactive Educational Whiteboard

A Real Conference Machine



Video Conference



Infrared Touch




Wireless Projection



Online Annotation



Tempered Glass



Human-Computer Interaction



1. The ultra-narrow frame design is simple and beautiful, infrared 20 touch, high sensitivity writing is smoother
2. 4K HD display, AG anti-glare tempered glass, Mohs grade 7 hardness, the picture is more soft and clear
3. Dual system Windows and Android switch freely, integrated in computer, Android TV, and electronic whiteboard
4. With double magnetic suction pen in front, the touch pen is more convenient to pick and place before and after use
5. Computer modular design, OPS / pull-out PC setting, simple and convenient maintenance
6. Used for Conference training/ Classroom Teaching

FUNCTIONS & _____ PARAMETERS




Touch


Have the function of writing, drawing, multi-media entertainment and online meetings etc.

Correct serration show characters and lines smoothly.

Dcrease visual error reduce operatin mistakes improve writing speed and fluency.



Main Dimensions



FUNCTIONS & PARAMETERS

Main Installation Method

Size: 65"/75"/86"



A. Mobile bracket installation (mobile bracket needs to be purchased separately)



B. Wall-Mounted (With accessories)

Technical Parameter

Size: 65"/75"/86"

System Performance				
Size	55inch	65inch	75inch	86inch
Back Type	DLED			
Physical Dimension(MM)	1260(L)x771(H)x88(W)	1518(L)x947(H)x102(W)	1739(L)x1073(H)x105(W)	1992(L)x1215(H)x115(W)
Gross weight(KG)	46.5KG	60KG	81.5KG	110KG
Peak Brightness	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²
Contrast	5000:1			
Viewing Angle	H/V:178°/178°			
Screen Ratio	16 :9			
Resolution	4K(3840x2160)			
Backlight Life	≥80,000 hour			

Android OS

- Android 6.0 or above
- 2G RAM, 32 G Rom optional
- RJ45/WIFI
- Infrared touch

Windows OS

- Intel i3 i5 i7 optional
- 128GB SSD(500GB HHD optional)
- Infrared touch
- Windows system

Touch Control System

Touch Recognition Method	Built-in infrared optical touch recognition (supports simultaneous input of 20 points)
Effective recognition range	Non-transparent objects with a diameter of not less than 1.5mm (3mm more points)
Precise positioning	± 2mm (more than 90% touch area)
Response time	The fastest 8ms (the cursor speed is about 120 points/s)
Touch resolution	H: 32767 V: 32767
Touch life	≥80,000 hours

Android System Configuration

Main Chip Model	MSD648
CPU	Cortex A53*4 1.5GHz
GPU	T720MP2
RAM	2GBDDR3
ROM	32GB
Kernel Version	Android6.0
External Expansion Storage	SD/TF Card interface supports up to 128GB, USB2.0/3.0 interface supports up to 1TB

OPS Computer Module Configuration

Configuration Options	Basic Level	Middle Level	Top Level
CPU	Intel Core i3	Intel Core i5	Intel Core i5
GPU	4G DDR3 (8G available)		
RAM	Standard 128GB SSD solid state drive (optional 500GB mechanical hard drive)		
ROM	Intel HD Graphics (HD Graphics or optional discrete graphics)		

Interactive Educational Whiteboard A Real Conference Machine



Video Conference



Infrared Touch




Wireless Projection



Online Annotation



Tempered Glass



Human-Computer Interaction

1. The ultra-narrow frame design is simple and beautiful, infrared 20 touch, high sensitivity writing is smoother
2. 4K HD display, AG anti-glare tempered glass, Mohs grade 7 hardness, the picture is more soft and clear
3. Dual system Windows and Android switch freely, integrated in computer, Android TV, and electronic whiteboard
4. With double magnetic suction pen in front, the touch pen is more convenient to pick and place before and after use
5. Computer modular design, OPS / pull-out PC setting, simple and convenient maintenance
6. Used for Conference training/ Classroom Teaching

FUNCTIONS & _____ PARAMETERS




Touch




Have the function of writing, drawing, multi-media entertainment and online meetings etc.

Correct serration show characters and lines smoothly.

Decrease visual error reduce operatin mistakes improve writing speed and fluency.



Main Dimensions



FUNCTIONS & _____ PARAMETERS

Main Installation Method

Size: 65"/75"/86"



A. Mobile bracket installation (mobile bracket needs to be purchased separately)



B. Wall-Mounted (With accessories)

Technical Parameter

Size: 65"/75"/86"

System Performance				
Size	55inch	65inch	75inch	86inch
Back Type	DLED			
Physical Dimension(MM)	1260(L)x771(H)x88(W)	1518(L)x947(H)x102(W)	1739(L)x1073(H)x105(W)	1992(L)x1215(H)x115(W)
Gross weight(KG)	46.5KG	60KG	81.5KG	110KG
Peak Brightness	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²
Contrast	5000:1			
Viewing Angle	H/V:178°/178°			
Screen Ratio	16 :9			
Resolution	4K(3840x2160)			
Backlight Life	≥80,000 hour			

Android OS

- Android 6.0 or above
- 2G RAM, 32 GRom optional
- RJ45/WIFI
- Infrared touch

Windows OS

- Intel i3 i5 i7 optional
- 128GB SSD(500GB HHD optional)
- Infrared touch
- Windows system

Touch Control System

Touch Recognition Method	Built-in infrared optical touch recognition (supports simultaneous input of 20 points)
Effective recognition range	Non-transparent objects with a diameter of not less than 1.5mm (3mm more points)
Precise positioning	± 2mm (more than 90% touch area)
Response time	The fastest 8ms (the cursor speed is about 120 points/s)
Touch resolution	H: 32767 V: 32767
Touch life	≥80,000 hours

Android System Configuration

Main Chip Model	MSD648
CPU	Cortex A53*4 1.5GHz
GPU	T720MP2
RAM	2GBDDR3
ROM	32GB
Kernel Version	Android6.0
External Expansion Storage	SD/TF Card interface supports up to 128GB, USB2.0/3.0 interface supports up to 1TB

OPS Computer Module Configuration

Configuration Options	Basic Level	Middle Level	Top Level
CPU	Intel Core i3	Intel Core i5	Intel Core i5
GPU	4G DDR3 (8G available)		
RAM	Standard 128GB SSD solid state drive (optional 500GB mechanical hard drive)		
ROM	Intel HD Graphics (HD Graphics or optional discrete graphics)		

QY Series Interactive Educational Whiteboard

A Real Conference Machine



Video Conference



Infrared Touch




Wireless Projection



Online Annotation



Tempered Glass



Human-Computer
Interaction



1. The ultra-narrow frame design is simple and beautiful, infrared 20 touch, high sensitivity writing is smoother
2. 4K HD display, AG anti-glare tempered glass, Mohs grade 7 hardness, the picture is more soft and clear
3. Dual system Windows and Android switch freely, integrated in computer, Android TV, and electronic whiteboard
4. With double magnetic suction pen in front, the touch pen is more convenient to pick and place before and after use
5. Computer modular design, OPS / pull-out PC setting, simple and convenient maintenance
6. Used for Conference training/ Classroom Teaching

FUNCTIONS & _____ PARAMETERS

Main Installation Method

Size: 65"/75"/86"



A. Mobile bracket installation (mobile bracket needs to be purchased separately)



B. Wall-Mounted (With accessories)

Technical Parameter

Size: 65"/75"/86"

System Performance				
Size	55inch	65inch	75inch	86inch
Back Type	DLED			
Physical Dimension(MM)	1260(L)x771(H)x88(W)	1518(L)x947(H)x102(W)	1739(L)x1073(H)x105(W)	1992(L)x1215(H)x115(W)
Gross weight(KG)	46.5KG	60KG	81.5KG	110KG
Peak Brightness	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²
Contrast	5000:1			
Viewing Angle	H/V:178°/178°			
Screen Ratio	16 :9			
Resolution	4K(3840x2160)			
Backlight Life	≥80,000 hour			

Android OS

- Android 6.0 or above
- 2G RAM, 32 G Rom optional
- RJ45/WIFI
- Infrared touch

Windows OS

- Intel i3 i5 i7 optional
- 128GB SSD(500GB HHD optional)
- Infrared touch
- Windows system

Touch Control System

Touch Recognition Method	Built-in infrared optical touch recognition (supports simultaneous input of 20 points)
Effective recognition range	Non-transparent objects with a diameter of not less than 1.5mm (3mm more points)
Precise positioning	± 2mm (more than 90% touch area)
Response time	The fastest 8ms (the cursor speed is about 120 points/s)
Touch resolution	H: 32767 V: 32767
Touch life	≥80,000 hours

Android System Configuration

Main Chip Model	MSD648
CPU	Cortex A53*4 1.5GHz
GPU	T720MP2
RAM	2GBDDR3
ROM	32GB
Kernel Version	Android6.0
External Expansion Storage	SD/TF Card interface supports up to 128GB, USB2.0/3.0 interface supports up to 1TB

OPS Computer Module Configuration

Configuration Options	Basic Level	Middle Level	Top Level
CPU	Intel Core i3	Intel Core i5	Intel Core i5
GPU	4G DDR3 (8G available)		
RAM	Standard 128GB SSD solid state drive (optional 500GB mechanical hard drive)		
ROM	Intel HD Graphics (HD Graphics or optional discrete graphics)		

Contact us :-

Maxtell India

257, Malvea Apartment ,3rd floor,T-3,Sardar Patel Marg, C-Scheme, Jaipur

Contact Number :- 9828052866/ 9828088446

E Mail id – info@maxtellindia.com